ELSEVIER

Fluid Phase Equilibria 134 (1997) 313–314

FLUID PHASE EQUILIBRIA

Contents of Volume 134 (1997)

Vol. 134, Nos. 1–2

High-pressure phase equilibria in the systems methane + phenanthrene and methane + 1-phenyldodecane up to 400 MPa
E. Flöter, P. Van der Pijl, T.W. De Loos and J. De Swaan Arons (Delft, The Netherlands) 1–19
Analytical equation of state based on the Ornstein–Zernike equation
Y. Tang, Z. Tong and B.C.-Y. Lu (Ottawa, Ontario, Canada) 21–42
Estimation of vapor–liquid equilibria for polymer solutions by a group-contribution method
Y. Hu, H. Zhou, H. Liu (Shanghai, China), D.T. Wu (Philadelphia, PA, USA) and J.M. Prausnitz (Berkeley, CA, USA). . 43–54
Exploration of the vapour–liquid phase equilibria and critical points of triacontane isomers
N.D. Zhuravlev and J.I. Siepmann (Minneapolis, MN, USA) 55–61
Phase equilibria modelling for binary systems that contain CO_2
E. Cassel, M. Matt, M. Rogalski (Metz, France) and R. Solimando (Nancy, France) 63–75
Molecular simulation of intermolecular attraction and repulsion in coexisting liquid and vapour phases
Đ. Plačkov and R.J. Sadus (Hawthorn, Victoria, Australia). 77–85
Kelvin equation for a non-ideal multicomponent mixture
A.A. Shapiro and E.H. Stenby (Lyngby, Denmark). 87–101
Phase and critical behavior in type III phase diagrams
S.E. Quiñones-Cisneros (México, México) 103–112
Excess Gibbs energies of the ternary system ethanol + tetrahydrofuran + cyclohexane at 298.15 K
L. Lepori and E. Matteoli (Pisa, Italy). 113–131
Solubility of gases in butanols. III. Solubilities of non-polar gases in 2-butanol from 263.15 to 303.15 K at 101.33 kPa partial pressure of gas
J. Pardo, M.C. López, J.A. Mayoral, F.M. Royo and J.S. Urieta (Zaragoza, Spain) 133–140
Solubilities of carbon dioxide in the aqueous potassium carbonate and potassium carbonate–poly(ethylene glycol) solutions
S.-B. Park, C.-S. Shim, H. Lee and K.-H. Lee (Taejon, South Korea) 141–149
Isobaric vapor–liquid equilibrium of binary mixtures of 1-propanol + chlorobenzene and 2-propanol + chlorobenzene
A. Dejoz, V. González-Alfaro, F.J. Llopis, P.J. Miguel and M.I. Vázquez (Valencia, Spain) 151–161
Vapour–liquid equilibrium for the binary systems of 2-methyl-1-propanol with some halohydrocarbons at 40.0 and 101.3 kPa
H. Artigas, C. Lafuente, M.C. López, F.M. Royo and J.S. Urieta (Zaragoza, Spain) 163–174
Effect of ethanol and *n*-octane on the solubility of stearic acid in the supercritical CO_2
M. Zhong, B. Han, H. Yan (Beijing, People's Republic of China) and D.-Y. Peng (Saskatoon, Sask., Canada) 175–183
Prediction of anthracene solubility in alcohol + alkane solvent mixtures using binary alcohol + alkane VLE data. Comparison of Kretschmer–Wiebe and mobile order models
J.R. Powell, M.E.R. McHale, A.-S.M. Kauppila, W.E. Acree Jr. (Denton, TX, USA), P.H. Flanders, V.G. Varanasi and S.W. Campbell (Tampa, FL, USA) 185–200
Aqueous phase diagrams containing oxalic acid at 303.15 K
N. Barnes, M. Gramajo de Doz and H.N. Sólimo (San Miguel de Tucumán, Argentina) 201–211
Vapor–liquid equilibria and saturation densities in the ternary system helium–nitrogen–methane
W. Schulze (Braunschweig, Germany) 213–224
Virial coefficients and compression factors of nine ternary gaseous mixtures obtained by the dielectric constant method
R. Okambawa, J.-M. St-Arnaud, T.K. Bose (Trois-Rivières, Québec, Canada) and O. Le Noë (Saint-Denis, France) 225–237
Excess thermodynamic properties of binary mixtures of ethyl acetate with benzene, ethanol, and 2,2,2-trifluoroethan-1-ol at 298.15 K
J. Hu, K. Tamura and S. Murakami (Osaka, Japan). 239–253

Vapour pressures and excess functions of 1.4-dimethylpiperazine + n-heptane, or cyclohexane measurement and prediction
A. Dahmani, A. Ait Kaci (Bab-Ezzouar, Algeria) and J. Jose (Villeurbanne, France) 255–265
Thermodynamic functions of solutions of homologous dicarboxylic acids in water + acetone mixtures from surface tension measurements
U.N. Dash and B.K. Mohanty (Bhubaneswar, India) 267–276
Measurement and correlation of solubilities of oxygen in aqueous solutions containing ribose and raffinose
K. Mishima, N. Matsuo, A. Kawakami, T. Tokuyasu, S. Oka and M. Nagatani (Fukuoka, Japan) 277–283
Effect of molecular architecture on the phase behavior of fluoroether-functional graft copolymers in supercritical CO_2
C. Lepilleur, E.J. Beckman (Pittsburgh, PA, USA), H. Schonemann and V.J. Krukonis (Lawrence, MA, USA) 285–305
Erratum to "Prediction of halocarbon liquid densities by a modified hard sphere–De Santis equation of state" [Fluid Phase Equilibria 118 (1996) 103–114; 115–119]
P.S. Fialho (Angra do Heroísmo, Portugal) and C.A. Nieto de Castro (Lisbon, Portugal) 307–308

Subject Index 309–310

Author Index 311

Contents of Volume 134 313–314